

Refine Search

Search Results -

Terms	Documents
L18 same L16	10

Database:

- US Pre-Grant Publication Full-Text Database
- US Patents Full-Text Database
- US OCR Full-Text Database
- EPO Abstracts Database
- JPO Abstracts Database
- Derwent World Patents Index
- IBM Technical Disclosure Bulletins

Search:

L20

Refine Search

Recall Text

Clear

Interrupt

Search History

DATE: Wednesday, July 20, 2005 [Printable Copy](#) [Create Case](#)

Set Name	Query	Hit Count	Set Name
side by side			result set
DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=OR			
L20	L18 same l16	10	L20
L19	l17 and L18	0	L19
L18	alarm or warning	364976	L18
L17	l13 same L16	1	L17
L16	(vehicle adj weight) same (running or moving)	778	L16
L15	l12 and L13	2	L15
L14	l12 same L13	0	L14
L13	weight adj difference	4640	L13
L12	(vehicle adj weight) same empty	169	L12
L11	program and l1	1	L11
L10	electronic and l1	0	L10
L9	control\$ and l1	2	L9
L8	l1 and L7	1	L8
L7	brak\$3 same decelerat\$	30247	L7
L6	brak\$3 and l1	1	L6
L5	sudden and l1	0	L5
L4	deceleration and l1	1	L4

L3 11 and L2
L2 weight
L1 5117934.pn.

0 L3
3163559 L2
2 L1

END OF SEARCH HISTORY

Refine Search

Search Results -

Terms	Documents
L8 and L9	3

Database:

US Pre-Grant Publication Full-Text Database
 US Patents Full-Text Database
 US OCR Full-Text Database
 EPO Abstracts Database
 JPO Abstracts Database
 Derwent World Patents Index
 IBM Technical Disclosure Bulletins

Search:

L10

Refine Search

Recall Text

Clear

Interrupt

Search History

 DATE: Wednesday, July 20, 2005 [Printable Copy](#) [Create Case](#)

<u>Set</u> <u>Name</u> side by side	<u>Query</u>	<u>Hit</u> <u>Count</u>	<u>Set</u> <u>Name</u> result set
	<i>DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=OR</i>		
<u>L10</u>	l8 and l9	3	<u>L10</u>
<u>L9</u>	driving	1815462	<u>L9</u>
<u>L8</u>	force and l6	3	<u>L8</u>
<u>L7</u>	(4794538 4797825 4823269 4841446 4924396 4947332 4985838 4991103 5009279)! [pn]	18	<u>L7</u>
<u>L6</u>	l1 and l2 and l4 and L5	3	<u>L6</u>
<u>L5</u>	(four adj wheel) same (front adj wheel)	8842	<u>L5</u>
<u>L4</u>	(steering adj angle) adj detect\$	2521	<u>L4</u>
<u>L3</u>	steering adj angle	21855	<u>L3</u>
<u>L2</u>	decelerat\$ adj detect\$	1925	<u>L2</u>
<u>L1</u>	speed adj detect\$	46593	<u>L1</u>

END OF SEARCH HISTORY

Refine Search

Search Results -

Terms	Documents
L1 and L2 and L4 and L5	3

Database:

US Pre-Grant Publication Full-Text Database
 US Patents Full-Text Database
 US OCR Full-Text Database
 EPO Abstracts Database
 JPO Abstracts Database
 Derwent World Patents Index
 IBM Technical Disclosure Bulletins

Search:

L6

Search History

DATE: Wednesday, July 20, 2005 [Printable Copy](#) [Create Case](#)

<u>Set Name</u> side by side	<u>Query</u>	<u>Hit Count</u>	<u>Set Name</u> result set
<i>DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=OR</i>			
<u>L6</u>	l1 and l2 and l4 and L5	3	<u>L6</u>
<u>L5</u>	(four adj wheel) same (front adj wheel)	8842	<u>L5</u>
<u>L4</u>	(steering adj angle) adj detect\$	2521	<u>L4</u>
<u>L3</u>	steering adj angle	21855	<u>L3</u>
<u>L2</u>	decelerat\$ adj detect\$	1925	<u>L2</u>
<u>L1</u>	speed adj detect\$	46593	<u>L1</u>

END OF SEARCH HISTORY